

CLARK

FULL

LINE



Highly **Manoeuvrable** + Easily **Serviceable** = Extremely **Dependable**



A **properly trained mechanic** can completely **customise** parameters to the **operator's preferences** such as acceleration rate, deceleration rate, maximum speed (separate forward and reverse).



NUMBERS DON'T LIE

98%

- Engineered for extreme environments, the C40 series is equipped with a **two-stage air filter system** that **removes 98% of incoming dust and debris** before it enters the filter media.

20 million

- The CLARK-designed drive axle incorporates spiral bevel and helical gear sets which provide quiet, dependable operation. This proven design has over 20 million field hours in heavy-duty applications.



100% AC SYSTEM

(on most electric models)

**FEWER PARTS & MINIMUM WEAR =
LESS DOWNTIME & COSTS = HIGHER ROI**

- Enclosed & brushless motors
- Thermal & stall protection
- Smart lift lock out
- Suitable for wet applications
- Motors are dual-powered reversing for tight turns

**ONE MOTOR FOR BOTH STEERING
AND HYDRAULICS**

- No brushes to change or commutator to turn... EVER

HEAVY-DUTY, HIGH TORQUE DRIVE MOTORS

- Produce twice the drawbar pull of some competitors
- Climb grades previously limited to IC trucks

INCREASED RUNTIME

- Optional battery compartment sizes available



Maximum Visibility + Minimum Fatigue = Ultimate Safety & Maximum Productivity



Nested upright rails provide positive rail interlock and a narrow profile to **maximise the vision window**. The overhead guard safety bars run parallel to the operator's line of sight resulting in a **clear, unobstructed view**.



RUGGED CONSTRUCTION

UPRIGHT AND CARRIAGE I-BEAM STYLE UPRIGHT

- Rails are designed to be 55% stronger than conventional flat-faced rails
- Better resistance to side-to-side deflection
- Promotes longer life and improved stability with elevated loads

HYDRAULIC CUSHIONING VALVES

- Silent staging reduces shock and vibration

SHIMMABLE, SEALED & CANTED LOAD ROLLERS

- Carriage has six load rollers & four side thrust rollers
- Maximises load distribution and reduces free play

STEERING AXLE

- Roller king-pin bearings are tapered and greasable to exclude dirt and extend service life
- Linkage pivot pins are double shear design to withstand impact without loosening or breaking

ONE-PIECE FRAME

- Heavy duty, welded and formed steel plate design helps protect from impact damage and extends the life of the truck
- Integral hydraulic pump provides cooling for hydraulics

OPERATOR COMPARTMENT

FULLY ADJUSTABLE CLARK SAFETY SEAT

- 2 cm vertical travel
- 20° backrest adjustment range
- 15 cm fore/aft adjustment
- Contoured for support
- Retractable seat belt
- Standard weight adjustment and full-suspension

HYDRAULIC CONTROL LEVERS

- Located and sized for ease of use

LOW COWL DESIGN


- Greatly increases visibility of forks and load

HIGH PIVOT STEER COLUMN

- Prevents interfering with operator's knees
- Adjusts to suit operator & provides easier entry/exit



Please note: All features listed do not necessarily appear on all models. Ask your authorised CLARK dealer for specifications and available options per model.





walkie
pallet



platform
pallet



walky
stacker



platform
stacker



electric
pneumatic



electric
narrow aisle



internal combustion
cushion



internal combustion
pneumatic



**CLARK
HAND PALLET TRUCK**
2500 kg



**WPiO12 24 VOLT
LITHIUM-ION HAND PALLET TRUCK**
1200 kg



**WP15 2x12 VOLT
PALLET TRUCK**
1500 kg



**WPX18 2x12 VOLT
PALLET TRUCK**
1800 kg



**PX20 24 VOLT
PALLET TRUCK**
2000 kg

BUILT QU



**WPX20 24 VOLT
PALLET TRUCK**
2000 kg



**PX20 24 VOLT
PALLET TRUCK - PLATFORM VERSION**
2000 kg



**PPX(S)20 24 VOLT
PALLET TRUCK**
2000 kg



**WS10M 2x12 VOLT
PALLET STACKER**
1000 kg



**WS10 2x12 VOLT
PALLET STACKER**
1000 kg



**WSX12/14 24 VOLT
PALLET STACKER**
1200 kg 1400 kg

TO LAST QUALITY



**PSX 16 24 VOLT
PALLET STACKER - PLATFORM VERSION**
1600 kg



**SX 12/16 24 VOLT
PALLET STACKER**
1200 1600 kg



**SX12/16 24 VOLT
PALLET STACKER - PLATFORM VERSION**
1200 1600 kg



**WSXD20 24 VOLT
PALLET STACKER - MULTI-PURPOSE TRUCK**
2000 kg



CTX40/70 3-WHEEL 48 VOLT
40 70
4000 7000 kg



SRX14/16 48 VOLT
14 16
1400 1600 kg



GTX16/18/20s 3-WHEEL 48 VOLT
16 18 20s
1600 1800 2000 kg



GEX40/45/50 4-WHEEL 80 VOLT
40 45 50
4000 4500 5000 kg



ZERO⁰ turn radius

GEX16/18/20s 4-WHEEL 48 VOLT
16 18 20s
1600 1800 2000 kg



ZERO⁰ turn radius

GEX20/25/30/30s/30L 4-WHEEL 80 VOLT
20 25 30s 30 30L
2000 2500 3000 3000 3000 kg





C15/18/20s LPG/DIESEL
15 18 20s
 1500 1800 2000 kg



S20/25/30/35 LPG/DIESEL
S20C/25C/30C/32C LPG
20 25 30 32C 35
 2000 2500 3000 3200 3500 kg



C40/45/50s/55s LPG/DIESEL
40 45 50s 55s
 4000 4500 5000 5500 kg



GTS20/25/30/33 LPG/DIESEL
20 25 30 33
 2000 2500 3000 3300 kg



CGC40/50/55 and CGC60/70 LPG
40 45 55 60 70
 4000 4500 5500 6000 7000 kg



C60/70/75/80 LPG/DIESEL
60 70 75 80
 6000 7000 7500 8000 kg



Dealer:

COST EFFECTIVE

Initial purchase price of your forklift is only **part** of your material handling costs. CLARK ensures that your long-term costs of ownership are kept to a **minimum**. **Proven components** [axles, uprights, cylinders and carriages] have all met rigid CLARK **engineering standards**. The benefit to you – CLARK trucks are designed to **operate longer** and are **more cost effective** than the competition.

KEEPING UPTIME TO A MAXIMUM



You want your lift truck **moving** material – not sitting in the shop. CLARK's experience with building and servicing the industry's oldest brand of lift trucks is combined with **the largest material handling distribution network** to ensure just that... your CLARK forklift trucks **keep working** shift after shift.

DEALER & FACTORY SUPPORT

And that same CLARK dealer network is **well equipped** to fill all your lift truck **related** needs including **financing, leasing and rental, factory authorised parts and service, up-to-date training and much more** – all while backed by the most extensive technical factory support in the industry.



CLARK EUROPE GmbH
Dr.-Alfred-Herrhausen-Allee 33 • 47228 Duisburg/Germany
Tel. +49 2065 49913-0 • Fax +49 2065 49913-290
Info-europe@clarkmheu.com • www.clarkmheu.com

FULL LINE BROCHURE
4576085
Printed in Germany
© 2018 CLARK EUROPE GmbH